

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S235	763	((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension\$4) or "3-D" or stereoscop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:38
S236	763	((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension\$4) or "3-D" or stereoscop\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:38
S237	79	((convers\$4) same (((("3" or three) near dimension\$4) or stereo\$4 or stereosc\$4) same ((display or control) with (info or infromat\$4 or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:39
S238	119	((TOSHIO) near2 (NOMURA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S239	59	((HIROYUKI) near2 (KATATA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S240	77	((NORIO) near2 (ITO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S241	34	((TADASHI) near2 (UCHIUMI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S242	39	((TOMOKO) near2 (AONO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S243	5	((HIROAKI) near2 (YABE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S244	6	((MAKI) near2 (TAKAHASHI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S245	6	((MOTOHIRO) near2 (ITO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S246	4	((MASATOSHI) near2 (TSUJIMOTO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S247	16	((MASAHIRO) near2 (SHIOI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S248	7	((RYUJI) near2 (KITTAURA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
S249	120	((convers\$4) same (((("3D" or ((three or "3" or third) near dimension\$4) or "3-D" or stereo\$4 or stereosc\$4) same ((display or control) with (info or infromat\$4 or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:50

## EAST Search History (Prior Art)

S250	2	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and (border with imag\$4 with (advanc\$4 or previous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:55
S251	7	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:56
S252	0	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and (second with (information or data)) and ((analyz\$4 or stud\$4 or determin\$4 or find) with (presenc\$ or absen\$4) with border\$4 with (display\$4 or imag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:01
S253	0	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and (second with (information or data)) and ((analyz\$4 or stud\$4 or determin\$4 or find) with (presenc\$ or absen\$4) with border\$4 with (display\$4 or imag\$4)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with (advanc\$4 or prior\$4 or befor\$4 or preced\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:02
S254	0	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and (second with (information or data)) and ((analyz\$4 or stud\$4 or determin\$4 or find) with (presenc\$ or absen\$4) with border\$4 with (display\$4 or imag\$4)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with (advanc\$4 or prior\$4 or befor\$4 or preced\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
S255	0	((convert\$4 or convert\$4) same ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) same ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and (second with (information or data)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with (advanc\$4 or prior\$4 or befor\$4 or preced\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
S256	0	((convert\$4 or convert\$4) and ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) and ((display or control) with (info or inform\$4 or file))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4 same (advanc\$4 or previous\$4)) and (second with (information or data)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with (advanc\$4 or prior\$4 or befor\$4 or preced\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
S257	3847	(345/419).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2009/10/21 17:04
S258	2	((convert\$4 or convert\$4) with ("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) with ((display or control) with (info or inform\$4 or file))) and (border with imag\$4 with (advanc\$4 or previous\$4)) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:04
S259	48	((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension\$4) or "3-D" or stereoc\$4)) and S257	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:05
S260	48	((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension\$4) or "3-D" or stereoc\$4)) and S257	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:05

## EAST Search History (Prior Art)

S261	11	((converts\$4 same ((("3" or three) near dimension\$4) or stereo\$4 or stereoc\$4) same ((display or control) with (info or informat\$4 or file)))) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:05
S262	2	((converts\$4 or convert\$4) with (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) same ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:13
S263	10	((converts\$4 or convert\$4) same (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) same ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) with imag\$4 with (advanc\$4 or previous\$4)) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:13
S264	19	((converts\$4 or convert\$4) same (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) same ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4 same (advanc\$4 or previous\$4)) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:13
S265	329	((converts\$4 or convert\$4) same (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) same ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4 same (advanc\$4 or previous\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:13
S267	5	((converts\$4 or convert\$4) and (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) and ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4 same (advanc\$4 or previous\$4)) and (second with (information or data)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with imag\$4 with (advanc\$4 or prior\$4 or before\$4 or preced\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:31
S268	196	((converts\$4 or convert\$4) and (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) and ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4) and ((information or data)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with imag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:34
S269	14	((converts\$4 or convert\$4) and (("3D" or ((three or "3" or third) near dimension\$4) or "3-D") or stereo\$4 or stereoc\$4) and ((display or control) with (info or informat\$4 or file)))) and ((border\$4 or outlin\$4 or fram\$4) same imag\$4) and ((information or data)) and ((prepar\$4 or generat\$4 or render\$4) with border\$4 with imag\$4) and S257	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:36